VOLUME CONTENTS

Number 1

A. Barrero	1	Inference of tree grammars using negative samples
A. Barrero	9	Unranked tree languages
S. S. Chitoor, M. N. Murty and M. K. Bhandaru	19	A new data structure HC-expression for learning from examples
S. Ranka and T. Heywood	31	Two-dimensional pattern matching with k mismatches
Jia-Guu Leu and Hok-Lai Yau	41	Detecting the dislocations in metal crystals from microscopic images
W. Chen and B. C. Jiang	57	3-D camera calibration using vanishing point concept
R. M. Haralick and L. G. Shapiro	69	Glossary of computer vision terms
Software Survey Section	I	

Number 2

Wen-Hsiang Tsai and Sheng-Lin Chou	95	Detection of generalized principal axes in rotationally symmetric shapes
I. Guyon, P. Albrecht, Y. Le Cun, J. Denker and W. Hubbard	105	Design of a neural network character recognizer for a touch terminal
L. Likforman-Sulem, H. Maître and C. Sirat	121	An expert vision system for analysis of Hebrew characters and authentication of manuscripts
E. Pietka	139	Feature extraction in computerized approach to the ECG analysis
H. Yamada and K. Yamamoto	147	Recognition of echocardiograms by a dynamic programming matching method
T. J. Majumdar and B. B. Bhattacharya	157	Extraction of shoreline and drainage patterns from aerial MSS thermal IR data over Cambay Basin, India—an attempt to automatize the threshold selection
I. Pitas and A. Maglara	165	Range image analysis by using morphological signal decomposition
G. Toussaint	183	A counter-example to a convex hull algorithm for polygons
Software Survey Section	I	

Number 3

Guangzheng Yang	185	On the knowledge-based pattern recognition using syntactic approach
F. Yeong-Chyang Shih and O. R. Mitchell	195	Decomposition of gray-scale morphological structuring elements
T. Kurita	205	An efficient agglomerative clustering algorithm using a heap
Zi-Quan Hong	211	Algebraic feature extraction of image for recognition
Tung-Hsin Su and Ruei-Chuan Chang	221	Computing the constrained relative neighborhood graphs and constrained Gabriel graphs in Euclidean plane
Tung-Hsin Su and Ruei-Chuan Chang	231	Computing the k-relative neighborhood graphs in Euclidean plane
Siu-Leong Iu and Kwangyoen Wohn	241	Recovery of 3D motion of a single particle
D. T. Pham and M. Abdollahi	253	Automatic assembly of ocular fundus images
O. Nakamura, S. Mathur and T. Minami	263	Identification of human faces based on isodensity maps
Software Survey Section	I	

Number 4

M. K. Bhandaru and M. N. Murty	273	Incremental learning from examples using HC-expressions
V. Valev and J. I. Zhuravlev	283	Integer-valued problems of transforming the training tables in k-valued code in pattern recognition problems
L. Dash and B. N. Chatterji	289	Adaptive contrast enhancement and de-enhancement
N. Kiryati, Y. Eldar and A. M. Bruckstein	303	A probabilistic Hough transform
Zi-Quan Hong and Jing-Yu Yang	317	Optimal discriminant plane for a small number of samples and design method of classifier on the plane
S. Spivak	325	Some properties of the multisurface method for pattern classification
Qiwen Zhang, Qen Ring Wang and R. Boyle	331	A clustering algorithm for data-sets with a large number of classes

Y. Y. Tang, Y. Z. Qu and C. Y. Suen 341 Multiple-level information source and entropy-reduced transformation models

Announcement 359

Software Survey Section I

Number 5

M. Tüceryan and T. Chorzempa 361 Relative sensitivity of a family of closest-point graphs in computer vision applications

Zen Chen and Shinn-Ying Ho 375 Computer vision for robust 3D aircraft recognition with fast library search

Dong-Chen He and Li Wang 391 Texture features based on texture spectrum

S. Hazout and N. Q. Nguyen 401 Image analysis by morphological automata

A. A. Rodriguez and O. R. Mitchell 409 Image segmentation by successive background extraction

P. Gader, B. Forester, M. Ganzberger, A. Gillies, B. Mitchell, M. Whalen and T. Yocum 421 Recognition of handwritten digits using template and model matching

M. Maes 433 Polygonal shape recognition using string-matching techniques

N. Ansari and E. J. Delp 441 On detecting dominant points

S. A. Mahmoud, I. AbuHaiba and R. J. Green 453 Skeletonization of Arabic characters using clustering based skeletonization algorithm (CBSA)

Software Survey Section I

Number 6

D. Ziou 465 Line detection using an optimal IIR filter

H. Yamada, K. Yamamoto, T. Saito and S. Matsui 479 MAP: multi-angled parallelism for feature extraction from topographical maps

Yuncai Liu and T. S. Huang 489 Determining straight line correspondences from intensity images

S. M. Bhandarkar and Minsoo Suk 505 Sensitivity analysis for matching and pose computation using dihedral junctions

J. Hecquard and R. Acharya 515 Connected component labeling with linear octree

M. A. Penna 533 Determining camera parameters from the perspective projection of a quadrilateral

M. Aladjem 543 Parametric and nonparametric linear mappings of multidimensional data

M. C. Fairhurst, H. M. S. Abdel Wahab and P. Brittan 555 Matching structural and implementational models in the specification of image classifiers

K. Chidananda Gowda and E. Diday 567 Symbolic clustering using a new dissimilarity measure

C. Q. Shu and Y. Q. Shi 579 On unified optical flow field

Sei-Wang Chen and A. K. Jain 587 Object extraction from laser radar imagery

Announcement 601

Software Survey Section I

Number 7

A. Kundu and Yang He 603 On optimal order in modeling sequence of letters in words of common language as a Markov chain

P. G. De Luca and A. Gisotti 609 Printed character preclassification based on word structure

Si Wei Lu, Ying Ren and Ching Y. Suen 617 Hierarchical attributed graph representation and recognition of handwritten Chinese characters

Chee-Woo Kang, Rae-Hong Park and Kwae-Hi Lee 633 Extraction of straight line segments using rotation transformation: generalized Hough transformation

G. A. W. West and P. L. Rosin 643 Techniques for segmenting image curves into meaningful descriptions

E. Salari and S. Balaji 653 Recognition of partially occluded objects using B-spline representation

A. Cumani, A. Guiducci and P. Grattoni 661 Image description of dynamic scenes

C. C. Chang and S. Y. Lee 675 Retrieval of similar pictures on pictorial databases

Y. Hamamoto, Y. Matsuura, T. Kanaoka and S. Tomita 681 A note on the orthonormal discriminant vector method for feature extraction

G. R. Dattatreya 685 Unsupervised context estimation in a mesh of pattern classes for image recognition

T. Taxt and E. Bølviken 695 Relaxation using models from quantum mechanics

S. Kuo and G. R. Cross 711 A two-step string-matching procedure

Software Survey Section I

Number 8

Lih-Cherng Liu, D. Chiou and Hsiao-Chuan Wang 717 A speech recognition method based on feature distributions

Y. F. Wang and A. Pandey 723 A study on using structured lighting to analyze time varying image sequences

S. Chaudhuri and S. Chatterjee 739 Motion analysis of a homogeneously deformable object using subset correspondences

R. S. Mitra and N. N. Murthy 747 Elastic, maximal matching

M. H. Benteftifa and L. Kurz 755 Two-dimensional object detection in correlated noise

M. J. Atallah, C. C. Ribeiro and S. Lifschitz 775 Computing some distance functions between polygons

J. C. Bezdek, R. J. Hathaway and M. P. Windham 783 Numerical comparison of the RFCM and AP algorithms for clustering relational data

T. Kumamoto, K. Toraichi, T. Horiuchi, K. Yamamoto and H. Yamada 793 On speeding candidate selection in handprinted Chinese character recognition

X. Y. Jiang and H. Bunke 801 Simple and fast computation of moments

Bing-Cheng Li and Jun Shen 807 Fast computation of moment invariants

Software Survey Section I

Number 9

V. Sridhar and M. Narasimha Murty 815 Clustering algorithms for library comparison

M. S. Kamel and S. Z. Selim 825 A thresholded fuzzy c-means algorithm for semi-fuzzy clustering

Qiwen Zhang and R. D. Boyle 835 A new clustering algorithm with multiple runs of iterative procedures

N. Ansari and Kuo-wei Huang 849 Non-parametric dominant point detection

L. Bobrowski 863 Design of piecewise linear classifiers from formal neurons by a basis exchange technique

F. Barlach 871 A linear classifier design approach

A. Blumenkrans 879 Two-dimensional object recognition using a two-dimensional polar transform

N. S. V. Rao 891 On similarity between finite sets in plane

J. S. Lipscomb 895 A trainable gesture recognizer

I. Yoshimura and M. Yoshimura 909 Off-line writer verification using ordinary characters as the object

Yi Pan 917 A note on efficient parallel algorithms for the computation of two-dimensional image moments

Announcement 919

Software Survey Section I

Number 10

Jian-Tong Wu, S. Tamura, H. Mitsumoto, H. Kawai, K. Kurosu and K. Okazaki 921 Neural network vowel-recognition jointly using voice features and mouth shape image

I. Dinstein, G. M. Landau and G. Guy 929 Parallel (PRAM EREW) algorithms for contour-based 2D shape recognition

L. Gupta and A. M. Upadhye 943 Non-linear alignment of neural net outputs for partial shape classification

Jia-Guu Leu 949 Computing a shape's moments from its boundary

J. Rubinstein, J. Segman and Y. Zeevi 959 Recognition of distorted patterns by invariance kernels

F. Kimura and M. Shridhar 969 Handwritten numerical recognition based on multiple algorithms

Qinghan Xiao and H. Raafat 985 Fingerprint image postprocessing: a combined statistical and structural approach

M. Spann 993 Figure/ground separation using stochastic pyramid relinking

S. Z. Selim and K. Alsultan 1003 A simulated annealing algorithm for the clustering problem

M. Flasiński and G. Lewicki 1009 The convergent method of constructing polynomial discriminant functions for pattern recognition

Announcements 1017

Software Survey Section I

Number 11

R. Bornstein and A. M. Bruckstein	1019	Finding the kernel of planar shapes
Sheng-Ching Jeng and Wen-Hsiang Tsai	1037	Scale- and orientation-invariant generalized Hough transform—a new approach
C. C. Chang, S. M. Hwang and D. J. Buehrer	1053	A shape recognition scheme based on relative distances of feature points from the centroid
Y. F. Wang, N. Karandikar and J. K. Aggarwal	1065	Analysis of video image sequences using point and line correspondences
Jian-xiong Wu and Chorkin Chan	1085	Recognition of phonetic labels of the TIMIT speech corpus by means of an artificial neural network
Chung-Hsien Wu, Jhing-Fa Wang and Wen-Horng Wu	1093	A shunting multilayer perceptron network for confusing/composite pattern recognition
Yu Xiaohan, Juha Ylä-Jääski and Yuan Baozong	1105	A new algorithm for texture segmentation based on edge detection
N. B. Venkateswarlu and P. S. V. S. K. Raju	1113	Three stage ML classifier
Software Survey Section	I	

Number 12

S. O. Belkasim, M. Shridhar and M. Ahmadi	1117	Pattern recognition with moment invariants: a comparative study and new results
M. K. Leung and T. S. Huang	1139	Detecting the wheel pattern of a vehicle using stereo images
M. G. Albanesi and M. Ferretti	1153	Shape detection with limited memory
A. K. Jain and F. Farrokhnia	1167	Unsupervised texture segmentation using Gabor filters
D.-C. He and L. Wang	1187	Textural filters based on the texture spectrum
C. E. Priebe and D. J. Marchette	1197	Adaptive mixtures: recursive nonparametric pattern recognition
Bei Li and C. Y. Suen	1211	A knowledge-based thinning algorithm
M. Flasiński	1223	Letter to the Editor
Announcement	1225	
Erratum	1227	

Software Survey Section I

Volume Contents and Author Index i

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.